



CLIMATROL
CORPORATION

QUALITY
REFRIGERATION
EQUIPMENT

Integrated cooling solutions from
Fresh rigeration
Experts



CLIMATROL
CHILLERS AND
FREEZERS

www.climatrol.in



ABOUT US

CLIMATROL specializes in manufacturing Drinking Water Coolers, Eutectic Deep Freezers, standard Deep Freezers, Freezers on Wheels, Mortuary Cabinets, Brine Chillers, Refrigeration units for cold rooms and PUF Panels. These products are applied in the cooling and storage of perishable goods such as Packaged Foods, Medicines, Chemicals, Ice-creams, Fruit and Vegetables and Ripening Chambers or in any other product that needs to be kept at a medium temperature, +2°C, or a low temperature, -22°C. Our equipment is designed and built to meet high ambient and harsh conditions prevalent in India. Heat exchanger coils are liberally designed keeping this in mind.

CLIMATROL has a fully insulated environment test chamber in which refrigeration equipment is tested under load for performance and reliability. This includes testing for Airflow, Current, Voltage, Pressure, Temperature and Humidity. Our highly trained and experienced team of engineers & workmen, design, manufacture and service our Drinking Water Coolers and Refrigeration products. Our Quality Management System is ISO 9000 certified and is one of the best in the country. The company is internally audited to manage rejections and take corrective or preventive action basis feedback received from the field. This is the biggest contributor in maintaining our product reliability and durability.

We strive to be the brand that stands for superior products, timely delivery and best possible services, which guarantee 'exceptional value' to our customers, empowering them to gain a competitive advantage in their respective markets.

CONVERTIBLE CHEST FREEZERS /CHILLERS



CCHTF 100 SD

Model Name	CCHTF 100 SD	CCHTF 200 SD
Compressor	Hermetic Sealed	Hermetic Sealed
Dimensions WxDxH (mm)	545 x 580 x 805	815 x 715 x 825
Temp.Range in Deg °C	(+5 To -27)	(+5 To -27)
Capacity In Liters	90	220
No. Of Door	1	1
Climate	T	T
Inside Body Material	PPGI	PPGI
No. Of Basket	1	1
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph
Lock & Key	Yes	Yes
Thermostat	Adjustable	Adjustable
Gross weight KG	28	41
Refrigerant	R-290	R-290



CCHTF 200 SD




CCHTF 300 SD

Model Name	CCHTF 300 SD	CCHTF 400 DD
Compressor	Hermetic Sealed	Hermetic Sealed
Dimensions WxDxH (mm)	1105 x 720 x 845	1395 x 720 x 845
Temp.Range in Deg °C	(+5 To -27)	(+5 To -27)
Capacity In Liters	323	429
No. Of Door	1	2
Climate	T	T
Inside Body Material	PPGI	PPGI
No. Of Basket	1	2
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph
Lock & Key	Yes	Yes
Thermostat	Adjustable	Adjustable
Gross weight KG	50	67
Refrigerant	R-290	R-290



CCHTF 400 DD



CCHTF 500 DD

Model Name	CCHTF 500 DD	CCHTF 700 TD
Compressor	Hermetic Sealed	Hermetic Sealed
Dimensions WxDxH (mm)	1685 x 720 x 845	2100 x 720 x 845
Temp.Range in Deg °C	(+5 To -27)	(+5 To -27)
Capacity In Liters	535	750
No. Of Door	2	3
Climate	T	T
Inside Body Material	PPGI	PPGI
No. Of Basket	2	2
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph
Lock & Key	Yes	Yes
Thermostat	Adjustable	Adjustable
Gross weight KG	78	90
Refrigerant	R-290	R-290



CCHTF 700 TD

VISI COOLERS/VERTICAL CHILLERS



CVC 200

Model Name	CVC 200	CVC 300
Compressor	Hermetic Sealed	Hermetic Sealed
Temp.Range in Deg °C	(+2 To +8)	(+2 To +8)
Dimensions WxDxH (mm)	510 x 645 x 1400	575 x 707 x 1620
Capacity In Liters	210	332
No. Of Door	1	1
Climate	T	T
No. Of Shelves	3	4
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph
Lock & Key	Yes	Yes
Thermostat	Adjustable	Adjustable



CVC 300



CVC 400

Model Name	CVC 400	CVC 500
Compressor	Hermetic Sealed	Hermetic Sealed
Temp.Range in Deg °C	(+2 To +8)	(+2 To +8)
Dimensions WxDxH (mm)	575 x 707 x 1950	635 x 707 x 1950
Capacity In Liters	420	471
No. Of Door	1	1
Climate	T	T
No. Of Shelves	5	6
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph
Lock & Key	Yes	Yes
Thermostat	Adjustable	Adjustable



CVC 500



CVC 1000

Model Name	CVC 1000	CVC 1500
Compressor	Hermetic Sealed	Hermetic Sealed
Temp.Range in Deg °C	(+2 To +8)	(+2 To +8)
Dimensions WxDxH (mm)	1100 x 707 x 1950	2050 x 707 x 1950
Capacity In Liters	963	1500
No. Of Door	Double Doors	3 Doors
Climate	T	T
No. Of Shelves	10	15
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph
Lock & Key	Yes	Yes
Thermostat	Adjustable	Adjustable



CVC 1500

MINI BAR



Mini Bar Technical Details

Model Name	Mini Bar 50 L	Mini Bar 70 L
Dimensions WxDxH (mm)	485 x 515 x 540	445 x 475 x 680
Temp. Range in Deg °C	(+2 To +7)	(+2 To +7)
Capacity In Liters	50 Liters	70 Liters
No. Of Door	1	1
Climate	T	T
No. Of Shelves + Tray	1+1	1+1
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph



WATER DISPENSERS



Model 3 Taps Hot, Cold & Normal Temp.

2 Taps Hot, Cold

PARTICULARS:		MODEL-21A PLUS/FS/FSR		MODEL-18B-/FS
Type	FS	FSR	FS	FS
Power Source	220-240V~50/60Hz	220-240V~50/60Hz	220-240V~50/60Hz	220-240V~50/60Hz
Rated Input Total	580W	586W	580W	580W
Rated Input Heating	500W	500W	500W	500W
Rated Input Refrigeration	80W	86W	80W	80W
Heating Capacity	<95°C 5L/h	<95°C 5L/h	<95°C 5L/h	<95°C 5L/h
Cooling Capacity	<15°C 3L/h	<15°C 2.5L/h	<15°C 3L/h	<15°C 3L/h
Refrigerant	R134a [Non CFC]	R134a [Non CFC]	R134a [Non CFC]	R134a [Non CFC]
Unit Dimensions (mm) WXDXH	310 X 400 X1002	310 X 400 X1002	310 X 400 X1002	310 X 330 X 940
Ambient Temperature	31±2°C	31±2°C	31±2°C	31±2°C
Volume of Cabinet	NA	18L	NA	NA
Refrigerator Temperature [°C]	NA	<13°C	NA	NA



- * Stainless steel tank for corrosion resistance & better hygiene
- * Long lasting plastic front panel and faucets
- * Tropicalised for efficient cooling even in hot Indian Conditions
- * Conveniently removable drip tray
- * Quiet operation
- * Low power consumption
- * Elegant Looks



CLIMATROL
CORPORATION

QUALITY
REFRIGERATION
EQUIPMENT

CLIENTS



Corporate:
108 A Madangir, New Delhi-110062

Delhi:
+91 11 40775500
+91 98 71869 666 / +91 98188 81544

Factory:
Main Thapal Indl. Area, Kala-Amb
(Distt. Sirmour), H.P.- 173030

Bihar:
Kankarbagh Main Road,
Near Bikaner Sweets,
Patna - 800020

Branch Office :

Punjab
104A - 105, Pam Rose,
World Trade Centre, G.T. Road,
Jalandhar - 144002

Jalandhar:
+01 81 4618438 / +91 98152 55756
+91 72900 89702

Patna:
+91 99100 21843

✉ salesupport@climatrol.in

TOLL FREE NO : 18001236535

✉ info@climatrol.in

🌐 www.climatrol.in



• KALA-AMB • JALANDHAR • PATNA