



CLIMATROL
CORPORATION

QUALITY
REFRIGERATION
EQUIPMENT

Integrated cooling solutions from
Freshrigeration
Experts



CLIMATROL
CHILLERS AND
FREEZERS

www.climatrol.in



ABOUT US

CLIMATROL specializes in manufacturing Drinking Water Coolers, Eutectic Deep Freezers, standard Deep Freezers, Freezers on Wheels, Mortuary Cabinets, Brine Chillers, Refrigeration units for cold rooms and PUF Panels. These products are applied in the cooling and storage of perishable goods such as Packaged Foods, Medicines, Chemicals, Ice-creams, Fruit and Vegetables and Ripening Chambers or in any other product that needs to be kept at a medium temperature, +2°C, or a low temperature, -22°C. Our equipment is designed and built to meet high ambient and harsh conditions prevalent in India. Heat exchanger coils are liberally designed keeping this in mind.

CLIMATROL has a fully insulated environment test chamber in which refrigeration equipment is tested under load for performance and reliability. This includes testing for Airflow, Current, Voltage, Pressure, Temperature and Humidity. Our highly trained and experienced team of engineers & workmen, design, manufacture and service our Drinking Water Coolers and Refrigeration products. Our Quality Management System is ISO 9000 certified and is one of the best in the country. The company is internally audited to manage rejections and take corrective or preventive action basis feedback received from the field. This is the biggest contributor in maintaining our product reliability and durability.

We strive to be the brand that stands for superior products, timely delivery and best possible services, which guarantee 'exceptional value' to our customers, empowering them to gain a competitive advantage in their respective markets.

CONVERTIBLE CHEST FREEZERS /CHILLERS



CCHTF 125 SD

Model Name	CCHTF 125 SD	CCHTF 250 SD
Compressor	Hermetic Sealed	Hermetic Sealed
Dimensions WxDxH (mm)	545 x 580 x 805	815 x 715 x 825
Temp.Range in Deg °C	(+5 To -27)	(+5 To -27)
Capacity In Liters	90	220
No. Of Door	1	1
Climate	T	T
Outside Body Material	PPGI	PPGI
No. Of Basket	1	1
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph
Lock & Key	Yes	Yes
Thermostat	Adjustable	Adjustable
Gross weight KG	28	41
Refrigerant	R-290	R-290



CCHTF 250 SD




CCHTF 350 DD

Model Name	CCHTF 350 DD	CCHTF 450 DD
Compressor	Hermetic Sealed	Hermetic Sealed
Dimensions WxDxH (mm)	1105 x 720 x 845	1395 x 720 x 845
Temp.Range in Deg °C	(+5 To -27)	(+5 To -27)
Capacity In Liters	323	429
No. Of Door	2	2
Climate	T	T
Outside Body Material	PPGI	PPGI
No. Of Basket	1	2
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph
Lock & Key	Yes	Yes
Thermostat	Adjustable	Adjustable
Gross weight KG	58	67
Refrigerant	R-290	R-290



CCHTF 450 DD



CCHTF 550 DD

Model Name	CCHTF 550 DD	CCHTF 750 TD
Compressor	Hermetic Sealed	Hermetic Sealed
Dimensions WxDxH (mm)	1685 x 720 x 845	2100 x 720 x 845
Temp.Range in Deg °C	(+5 To -27)	(+5 To -27)
Capacity In Liters	535	750
No. Of Door	2	3
Climate	T	T
Outside Body Material	PPGI	PPGI
No. Of Basket	2	2
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph
Lock & Key	Yes	Yes
Thermostat	Adjustable	Adjustable
Gross weight KG	78	90
Refrigerant	R-290	R-290



CCHTF 750 TD

VISI COOLERS/VERTICAL CHILLERS



CVC 240

Model Name	CVC 240	CVC 350
Compressor	Hermetic Sealed	Hermetic Sealed
Temp.Range in Deg °C	(+2 To +8)	(+2 To +8)
Dimensions WxDxH (mm)	510 x 645 x 1400	575 x 707 x 1620
Capacity In Liters	210	332
No. Of Door	1	1
Climate	T	T
No. Of Shelves	3	4
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph
Lock & Key	Yes	Yes
Thermostat	Adjustable	Adjustable



CVC 350



CVC 450

Model Name	CVC 450	CVC 550
Compressor	Hermetic Sealed	Hermetic Sealed
Temp.Range in Deg °C	(+2 To +8)	(+2 To +8)
Dimensions WxDxH (mm)	575 x 707 x 1950	635 x 707 x 1950
Capacity In Liters	420	471
No. Of Door	1	1
Climate	T	T
No. Of Shelves	5	6
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph
Lock & Key	Yes	Yes
Thermostat	Adjustable	Adjustable



CVC 550



CVC 1050

Model Name	CVC 1050	CVC 1550
Compressor	Hermetic Sealed	Hermetic Sealed
Temp.Range in Deg °C	(+2 To +8)	(+2 To +8)
Dimensions WxDxH (mm)	1100 x 707 x 1950	2050 x 707 x 1950
Capacity In Liters	963	1500
No. Of Door	Double Doors	3 Doors
Climate	T	T
No. Of Shelves	10	15
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph
Lock & Key	Yes	Yes
Thermostat	Adjustable	Adjustable



CVC 1550

MINI BAR



Mini Bar Technical Details

Model Name	Mini Bar 50 L	Mini Bar 70 L
Dimensions WxDxH (mm)	485 x 515 x 540	445 x 475 x 680
Temp.Range in Deg °C	(+2 To +7)	(+2 To +7)
Capacity In Liters	50 Liters	70 Liters
No. Of Door	1	1
Climate	T	T
No. Of Shelves + Tray	1+1	1+1
Voltage/Frequency/Ph	230/50 Hz/1 Ph	230/50 Hz/1 Ph



WATER DISPENSERS



Model 3 Taps Hot, Cold & Normal Temp.

2 Taps Hot, Cold

PARTICULARS:		MODEL-21A PLUS/FS/FSR		MODEL-18B-/FS
Type	FS	FSR	FS	
Power Source	220-240V~50/60Hz	220-240V~50/60Hz	220-240V~50/60Hz	
Rated Input Total	580W	586W	580W	
Rated Input Heating	500W	500W	500W	
Rated Input Refrigeration	80W	86W	80W	
Heating Capacity	<95°C 5L/h	<95°C 5L/h	<95°C 5L/h	
Cooling Capacity	<15°C 3L/h	<15°C 2.5L/h	<15°C 3L/h	
Refrigerant	R134a [Non CFC]	R134a [Non CFC]	R134a [Non CFC]	
Unit Dimensions (mm) WXDXH	310 X 400 X1002	310 X 400 X1002	310 X 330 X 940	
Ambient Temperature	31±2°C	31±2°C	31±2°C	
Volume of Cabinet	NA	18L	NA	
Refrigerator Temperature [°C]	NA	<13°C	NA	



- * Stainless steel tank for corrosion resistance & better hygiene
- * Long lasting plastic front panel and faucets
- * Tropicalised for efficient cooling even in hot Indian Conditions
- * Conveniently removable drip tray
- * Quiet operation
- * Low power consumption
- * Elegant Looks



CLIMATROL
CORPORATION

QUALITY
REFRIGERATION
EQUIPMENT

CLIENTS



Corporate:

108 A Madangir, New Delhi-110062
+91 99100 31233 / +91 98 71869 666 / +91 98188 81544
+91 11 40775500

Factory:

Main Thapal Indl. Area, Kala-Amb
(Distt. Sirmour), H.P.- 173030

Branch Office :

Punjab
104A - 105, Pam Rose,
World Trade Centre, G.T. Road,
Jalandhar - 144002
+01 81 4618438 / +91 98152 55756
+91 72900 89702

Bihar:

Kankarbagh Main Road,
Near Bikaner Sweets, Patna - 800020

✉ salesupport@climatrol.in TOLL FREE NO : 18001236535

✉ info@climatrol.in www.climatrol.in



• KALA-AMB • JALANDHAR • PATNA